

TI version 10.8

APPLICABLE TO:	Admin		
	Manager	Collaborate	
	O Editor	O elSF	
	O Reader		

Trial Interactive supports automatic injection of values from metadata to a document, if the document and room are previously set up for it.

Field such as date, title, and many more, can be added automatically to the document reducing processing time and room for any manual error.

This guide helps user set the conditions that make this process possible.

Part 1: Configuration of data fields in a Word document.



This section contains guidance on the use of a third-party product and should only be taken as general advice. TransPerfect makes no guarantees as to the accuracy of this information at any given time.

Enable the Developer tab in Word. This is generally not displayed by default.



a) On Windows:

- open the **File** menu. Click on **Options** > **Customize Ribbon** (In some older Office releases, <u>right-click</u> on blank space within the Ribbon and select **Customize the Ribbon...)**.
- Within the **Customize the Ribbon** menu, and under **Main Tabs**, check the box for **Developer**.

b) On MacOS:

- On the **Word** menu, select **Preferences**.
- Select Ribbon and Toolbar > Customize the Ribbon > Main Tabs.
- Check **Developer** and select **Save**.




List of applicable Word releases:

Word for Microsoft 365, Word for Microsoft 365 for Mac, Word 2021, Word 2021 for Mac, Word 2019, Word 2019 for Mac, Word 2016, Word 2016 for Mac, Word 2013, Word 2010.



TI version 10.8

- 2 Set up a Word document to use data field:
 - a) Select a location on page where data will be filled.
 - b) In the Developer tab, click on **Rich Text Control**.



c) A <u>content box</u> appears on the page.




d) In the Developer tab, click on **Properties** (do not deselect the content box when doing this).



e) Assign a **Title** and a **Tag** to the field. The Title should be the **name** of the Metadata as it appears in the eTMF, and the Tag should be the **system value** for that field. Click **OK**.

Repeat this process for any field you want to auto-fill in your template.







TI version 10.8

Part 2: Setting Up a TI room with template documents.


Enter a room and navigate to **Settings**.



Expand the <u>Document Template</u> entry and select **Document Template**.



5 Click on the **Add** button.



6 Attach the Word document set up in Part 1 (use the lens icon to browse).

7 Give the template a descriptive name.






TI version 10.8


8 In the same window, check the box

for 'contains data fields'.

9 Complete all required fields and click **Create**.



The template is now ready for use at the **Add Document** interface, using the Template option.



- If uploading a locally stored document (as long as it is configured as detailed in Part 1), the system also supports Data Injection, but it is necessary to toggle **Use Placeholder fields in the Document** on.
- Values are updated upon each document check-in, and again during the finalization of a controlled document workflow.

